

## Department of Energy Washington, DC 20545



Site. Sto Louis Augodi ID = HOD98571671615. Brent 1.3 Other: Doe

30285378 Superfund

JUN 17 1988

Mr. John Chen
Superfund Branch
U.S. Environmental Protection
Agency, Region VII
726 Minnesota Avenue
Kansas City, Kansas 66101

Dear Mr. Chen:

The purpose of this letter is to provide the Department of Energy's (DOE) position and transmit the laboratory results (Enclosure 1) and a summary table of all data collected to date (Enclosure 2), concerning the analysis of both liquid and soil samples obtained during the limited survey of the St. Louis Airport property performed by DOE on May 19 and 20, 1988.

It should be noted that the minimum detectable activities (MDA's) associated with the radium-228 analysis performed on liquid sample numbers 1345Y4014, 1345Y4015, and 1345Y4016 are larger than concentrations that might be expected based on thorium concentrations in the sample. These high MDA's resulted from the laboratory experiencing difficulty in digesting the samples into solution which was only successful when small aliquots of these liquids were processed. Since minimum detectable activities are affected by sample size, counting times, and the efficiency of the detectors used, the analyses for radium-228 resulted in high MDA's.

In attempt to better identify the radium-228 concentrations, DOE is presently in the process of re-analyzing samples 1345V4014 and 1345V4015 by wet chemistry in an attempt to lower the MDA's and acquire a more definitive concentration level. All available liquid (410 milliliters) of sample number 1345V4016 was obtained from the buried drum on the airport property and used during the first set of analysis. Thus, re-analysis of this sample is not possible.

In addition to the analysis described above, DOE is also attempting to perform gamma spectroscopy on sample numbers 1345V4014 and 1345V4015 to determine if gamma-emitting daughters of radium-228 are present. Based on the activity associated with the daughters, the concentration of radium-228 will be calculated. Results of these analysis are due on June 21, 1988, and will be provided to EPA as soon as possible.

Based upon review of the data collected by DOE to date, it appears that only the drummed liquids contain above background radioactivity. Concentrations of radionuclides in soil was approximately background in all samples. While elevated levels (relative to background concentrations) were observed for uranium and thorium in drummed liquid, these values are

1024/2



low in comparison with established DOE guidelines for release of water to uncontrolled areas (Doe Order 5480.1A). These criteria may not be directly applicable to the drummed liquid at the Midcoast site; however, they provide a very conservative comparison. Concentrations of radionuclides in these residues are also below concentrations the Nuclear Regulatory Commission permits its licensees to discharge into a sanitary sewer system (10 CFR 20, January 1987). Given the low concentrations of radionuclides in the drums, it is not appropriate to consider this liquid a radiologically and chemically mixed waste. The only significant hazard in this material appears to be associated with the chemicals.

Based on chemical analyses data supplied by Midcoast Aviation, Inc. and field observations using instrumentation (Ermet), and other information reviewed by DOE, it is DOE's belief that the chemical constituents are not associated with the Manhattan Engineer District/Atomic Energy Commission (MED/AEC) activities. In addition, natural thorium ore was not processed at the St. Louis Downtown Site. Thus, we would not expect to find thorium-232 concentrations in the levels indicated by the analyses of the drummed material. These concentrations are not indicative of the MED/AEC St. Louis residues.

If you have any questions, please contact Andrew Avel at our Oak Ridge Operations Office (FTS 626-0844).

Sincerely,

James J. Fiore, Director Division of Facility and Site Decommissioning Projects Office of Nuclear Energy

2 Enclosures

cc: Bruce Mallett, NRC, Chicago Fred Brunner, MODNR

ENCLOSURE 1

22-841

ALRUQUERQUE LABORATORY

CUSTOMER ATTENTION Inc. - SLAPES

ADDRESS

: Mike McDougall P. O. Box 350

CITY

Dek Ridge, TN 37831-0350

E-8624 W.O. NO.

G-ALPHA/ISO-RA-TH-U IN WATER TYPE OF ANALYSIS

REMINING REGRO REMOTEUR

AMPLES RECEIVED 05/20/88

Customer	Date	Type of	monat the			SIGHA	
Identification	Collected	Analysis	TOTAL VOL.	ACT	riv <b>ity</b> /	ERROR	UNITS
34 <b>5</b> V <b>4</b> Q16	05/19/88	G-ALPHA	410		<b>6</b> 9. <b>0</b>	24.0	pCi/l
AITH CONST SITE		RA 226	410	<	4.0		pCi/l
		RA 228	410	<	160.0		FIC1/1
		TH 228	410		51.0	10.0	pC1/1
	·	TH 230	410		41.0	9.0	pC1/1
		TH 232	410		51.0	10.0	p01/1
		U 234	410		68.0	18.0	pC1/1
		U 235	410		6.0	<b>5</b> .0	pC1/1
		N 538	410		61.0	16.0	pC1/1
34SV4014	05/19/88	G-ALPHA	3220		130.0	40.0	PC1/1
IDCOAST AVIATION		RA 226	3220	<	2.0		pC1/1
		RA 228	3220	<	80. 🗘		pC1/1
		TH 228	3220		17.0	8.0	pC1/1
		TH 230	3220	•	9. Ō	8.0	pG1/1
		TH 232	<b>32</b> 20		17.0	₿.0	p01/1
		U 234	3220		11.0	4.0	p(C) /1
		ย 235	3220	<	0.7		pC1/1
		U 238	3220		13.0	4,0	pCi/1
345V4015	05/19/88	G-ALPHA	2926		19.0	10.0	;:Ci/1
DIDCOAST AVIATION		RA 226	2920	<	2.0		pC1/1
		RA 228	2920	<	64.0		pCi/l
		TH 228	<b>29</b> 20	€.	7.0		p01/1
		TH 230	<b>29</b> 20	<	7.0		pC1/1
		TH 232	2920	<	7.0		pC1/1
		U 234	<b>2</b> 920	<	2.0		pC1/1
		U 235	2920	<	0.6		pC1/1
		U 238	2920	<	3.0		p01/1

REPORTED VIA TELEPHONE

PAGE 1 OF

MA Eberline Thermo Analytical Inc. 7021 PAN AMERICAN FREEWAY, N.E.

ALBUQUERQUE, NEW MEXICO 87109. PHONE (505) 348-3461

DE-08-1988

ENCLOSURE ( CONTINUED)

ALBUQUERQUE LABORATORY

CITY

Bechtel Nations Inc. Mike McDougall

O#k Ridge, TN 37831-0350

Inc. - SLAPSE

D-02431





G-ALPHA/ISO-TH/RA/U IN WATER

P.D. Box 350

22-841

REMAIN RECORD REMOTES

MARCES RECEIVED 05/21/88

TYPE OF ANALYSIS

E-8626

T ABIT

2 SIGMA Customer Date Type of identification Collected Analysis TOTAL VOL. ACTIVITY / ERROR UNITS STANDING WATER IN 05/20/88 G-ALPHA 3690 4.0 1/12q 2,0 BTH OF DRUM/SV4018 TH 228 3690 € 0.2 pCi/l TH 230 3690 < 0.2 pCi/l TH 232 3690 0.2 pCi/l. RA 226 3690 0.4 0.1 pCi/l RA 228 3690 ⋖ 4.0 pCi/l U 234 3690 1.5 0.3 pC1/1 U 235 3690 € 0.1 アウェノエ U 238 3690 1.5 0.3 pCi/l WATER FROM DITCH W 05/20/88 5-ALPHA 4070 24.0 4.0 カロエノエ OF DRUM/SV4019 TH 228 4070 € 0.1 pci/l TH 230 407Q < U. 3 F.Ci/1 TH 231 4070 0.1 < pCi/1 RA 226 4070 0.4 0.1 p.03/1 RA 228 4070 4.0 pC1/1 U 234 4070 0.6 アウェノユ U 235 4070 0.1 pC1/1

U 238

REPORTED VIA TELEPHONE

PAGE 1 OF

0.1

piCi/l

0.3

1

TIVIA Eberline
Thermo Analytical Inc.

7021 PAN AMERICAN FREEWAY, N.E. ALBUQUERQUE, NEW MEXICO 87109 PHONE (505) 345-3461 APPROVED BY Latter for

4070

Melyand "

1024/6

EMCTORORE I (CONTINUED)

ALBUQUE HQUE LABORATOR"

CUSTOMER ATTENTION :

ADDRESS

CITY

Sechtel National Inc. - SLAPSS Mike McDougall

Dak Ridge, TN 37631-0350

P.O. Box 350

W.O. NO. E-8623

GAMMA/TH-230 IN SOIL TYPE OF ANALYSIS

22-841 DUSTONIER ORDER NUMBER

SAMPLES HECEIVED 05/20/88

	DEPTHS Solls	Date Collected	Type of Analysis	WET/DRY	2 SIGMA ACTIVITY / ERROR pCi/g		
34574009		05/18/88	U 238	<b>W</b>	<	12.0	
	0.0		RA 226	¥		i, 5	0,6
OND WATER			TH 232	W		2.0	1.0
	- SOILS		TH 230	Ď	•	1.1	0, 3
			· <del>-</del>				
345V4009				₩	<	12.0	
	0.0		RA 226	¥		<u>1</u> .2	0, 6
UPLICATE			TH 232	W		3.0	1.0
			TH 230	•	<	۵.۵	
34\$V401 <b>0</b>	0.00.5	05/18/88	U 238	W	<	7.0	
	0.0		RA 226	Ÿ		4.0	1.0
IDCOAST/EXC			TH 232	¥	1		1.0
	•		TH 230	D		1.2	0.4
34574011	0 0 0 0	05/18/68	H TAB	w	<	9, 0	
0.0 -	-	03/10/00	RA 226	Ŵ		3.0	1.0
TH OF ESC	0. 0		TH 232	Ÿ			1.0
6. 25.5			TH 230	Ď		1.2	0.8
345 <b>V4</b> 012	<b>^</b> 0 0 <b>0</b>	OF/18/00	11 220	W	<	12.0	
0.0				Ÿ	•	1.3	0.7
RUM HATL	0.0		RA 226 TH 232	Ü.	_	1.0	U. /
KUN NAIL			TH 232	D D	< <	0.7	
-			TH 230	ī,	•	0. /	
34£V4013	0.00.0	05/18/88	U 238	W	•	€, 0	
0.0 -			RA 226	W		2,0	1.0
RUH EXT			TH 232	¥	<	1.0	
			TH 230	D		1.4	o. 4
34574017	<b>n</b> n n =	. OS/10/85	<b>ប 238</b>	₩	٦ ا	11.0	
0.0 -	<b>0.0</b> 0.5	03/10/68	D 238			1.5	0.7
RUM	<b>U</b> . 0			W		1.0	U. /
			TH 232	Ħ	<	1.0	

TH 230

REPORTED VIA TELEPHONE

PAGE 1 OF

1.3

VIA Eberline Thermo Analytical Inc.

7021 PAN AMERICAN FREEWAY, N.E. ALBUQUERQUE, NEW MEXICO 87109 PHONE (505) 348-3461

D

06-02-1988

റ. 🦻

## ENCLOSURE 2 MIDCOAST AVIATION FILLED SAMPLE RESULTS

Sample ID		Gross Alpha	Concentration (pCi/l)						د		
	Туре		Ra-226	Ra-228	Th-230	1h-228	Th232	U-234	U-235	V-238	
13 <b>4-5V-4</b> 016	Form Oil From Drum	69	<u>+</u> 24	<4.D	(160a,b	41 <u>+</u> 9	51 ± 10	51 ± 10	68 <u>+</u> 18	6 <u>+</u> 5	61 <u>+</u> 16
134-SY-4014	Brown Fluid From Orum	130	<u>+</u> 40	<2.0	< 80a	9 ± 8	17 <u>+</u> 8	17 <u>+</u> 8	11 ± 4	₹7.0	13 ± 4
134SV4015	Red Fluid From Drum	19	<u>+</u> 10	<2.0	< 64a	(7.0	₹7.0	<7.0	<2	(0.6	<3
134-SV-4018	<b>Mater From</b> Exc. Pit	4	<u>+</u> 2	0.4 ± 0.1	<b>&lt; 4</b>	<b>(0.2</b>	<0.2	<0.2	1.5 ± 0.3	<0.6	1.5 ± 0.
134-SV-4019	Water From Culvert	24	<u>+</u> 4	0.4 ± 0.1	<b>c</b> 4	<b>(0.1</b>	<0.3	₹0.1	0.7 ± 0.2	<0.1	0.3 ± 0.

a— High minimum detectable activities are the result of difficulty in digesting the samples. Sample is currently being reanalyzed. b— available Au liquid associated with Sample No. 134—SV—4016 was collected and expended during the initial analyses. Thus, re-analyses are not possible.



of

## ENCLOSURE 2 (CONTINUED) MIDCOAST AVIATION SOIL SAMPLE RESULTS

Sample ID		(Depth)	Concentrations (pCi/q)						
	Турв		U238	Ra-226	Th-232	Th-230			
						,,			
134-5V-4009	Soil	(06")	<12	1.2 <u>+</u> 0.6	3 ± 1	1.1 ± 0.3			
134-SU-4010	Soil	(D~6")	< 7	4 ± 1	2 + 1	1.2 + 0.4			
134-SV-4011	S011	(0-6")	< 9	3 ± 1	2 <u>+</u> 1	1.2 + 0.8			
134-SU-4012	Soil	(0-511)	<12	$1.3 \pm 0.7$	<b>&lt;1</b> .0	<0.7			
134-SU-4013	3011	(0-6")	< 6	2 ± 1	<1.0	1.4 + 0.4			
134-SU-4017	Soil	(06")	<11	1.5 + 0.7	<1.0	1.3 + 0.9			

1024/8